




PTO ADAPTERS and ACCESSORIES



Clamp - 1 or 2-Bolt

QD Pin

Slide Collar

Set Screw

Rotate Collar

15" Set Screw



Sleeve



Stock = "N" Can be Special Ordered



| Old A & I Number | HAVBRO NUMBER | STK | STYLE | DESCRIPTION | MAX HP (est) | FEMALE SPLINE (Tractor) | MALE SPLINE (Implement) | EXTENDS PTO (Approx) | OVERALL LENGTH (Approx) |
|--------------------------|---------------|-----|-----------|---|--------------|-------------------------|-------------------------|----------------------|-------------------------|
| PA13 Sleeve | 03-32-00355 | Y | Sleeve | Cub & Kubota .969 x 10 | 75 | 31/32" x 10 | 1-3/8"x 6 | 0 | 2-1/4" |
| | 03-32-00084 | Y | Cross Pin | Metric Adapter | 75 | 25MM x 18 | 1-3/8"x 6 | 3-3/4" | 5-1/2" |
| | PTE-15073 | N | Set Screw | Compact Tractor | 75 | 1" x 18 | 1-3/8" x 6 | 3" | 5" |
| PA01 Sleeve | Use PTE-01666 | -- | Sleeve | PTO short increaser | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 1-1/8" | 3" |
| PA01 Alternate Sleeve | PTE-01666 | Y | Sleeve | PTO short increaser | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 1-1/8" | 3-1/4" |
| PA02 Sleeve | PTE-01662 | N | Sleeve | Sleeve increaser; all tractors except Ford | 75 | 1-1/8" x 6 | 1-3/8" x 6 | 0 | 2-1/4" |
| PA03 Sleeve | PTE-01662 | N | Sleeve | Sleeve increaser; all tractors except Ford | 75 | 1-1/8" x 6 | 1-3/8" x 6 | 0 | 2-1/4" |
| PA04 Set Screw | Use PTE-01665 | -- | Set Screw | PTO increaser. | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 2-1/2" | 4-5/8" |
| PA04 Alternate Set Screw | PTE-01665 | N | Set Screw | PTO increaser. | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 3-5/8" | 5-1/2" |
| | PTE-01660 | N | Sleeve | Sleeve increaser Ford 231082 | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 0 | 2" |
| | 03-32-01354 | N | Clamp | Splined Adapter; Clamp provides secure fastener | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 4-5/8" | 7-5/16" |
| | PTE-15720 | N | QD Pin | | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 4-5/16" | 6-1/2" |
| PA05 Set Screw | Use PTE-01664 | -- | Set Screw | Universal reducer | 75 | 1-3/8"x 6 | 1-1/8" x 6 | 2-3/4" | 5-3/8" |
| PA05 Alternate Set Screw | PTE-01664 | N | Set Screw | Universal reducer | 75 | 1-3/8"x 6 | 1-1/8" x 6 | 3-5/16" | 5-1/8" |
| PA16 Set Screw | PTE-01664 | N | Set Screw | Universal reducer | 75 | 1-3/8"x 6 | 1-1/8" x 6 | 3-5/16" | 5-1/8" |
| PA17 Set Screw | PTE-01664 | N | Set Screw | Universal reducer | 75 | 1-3/8"x 6 | 1-1/8" x 6 | 3-5/16" | 5-1/8" |
| PA06 Set Screw | Use PTE-01668 | -- | Set Screw | PTO extender | 75 | 1-3/8"x 6 | 1-3/8"x 6 | 3" | 5-3/8" |
| PA06 Alternate Set Screw | PTE-01668 | Y | Set Screw | PTO extender | 75 | 1-3/8"x 6 | 1-3/8"x 6 | 3-5/16" | 5-1/8" |
| PA09 QD Pin | PTE-03737 | N | QD Pin | PTO extender with quick-release | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4-3/8" | 6-1/2" |

| Old A & I Number | HAVBRO NUMBER | STK | STYLE | DESCRIPTION | MAX HP (est) | FEMALE SPLINE (Tractor) | MALE SPLINE (Implement) | EXTENDS PTO (Approx) | OVERALL LENGTH (Approx) |
|-----------------------|-----------------|-----|---------------|--|--------------|-------------------------|-------------------------|----------------------|-------------------------|
| PA09 Alternate QD Pin | PTE-16612 | Y | Slide Collar | PTO extender with quick-release | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4-3/8" | 6-1/2" |
| PA09 Alternate QD Pin | 03-32-00010 | Y | Rotate Collar | PTO extender with quick-release | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4-3/8" | 6-1/2" |
| | 03-32-00057 | N | Clamp 1-Bolt | Extender | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4-3/8" | 6-1/2" |
| | 115-0000 | Y | Cross Pin | Splined adapter; extended length for use with Cross & Prince PTO pumps | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 11-5/8" | 15" |
| | PTE-00254 | N | Set Screw | Extender | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 7" | 9-7/16" |
| | PTE-00255 | N | Set Screw | Extender | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4" | 5-3/4" |
| PA11 QD Pin | PTE-13393 | N | QD Pin | PTO spline adapter with quick-release | 75 | 1-3/8" x 6 | 1-3/8" x 21 | 4-1/8" | 6-1/2" |
| PA11 Alternate QD Pin | PTE-16611 | Y | Slide Collar | PTO spline adapter with quick-release | 75 | 1-3/8" x 6 | 1-3/8" x 21 | 4-1/8" | 6-1/2" |
| PA11 Alternate QD Pin | 03-32-00013 | Y | Rotate Collar | PTO spline adapter with quick-release | 75 | 1-3/8" x 6 | 1-3/8" x 21 | 4-3/8" | 6-1/2" |
| PA25 Set Screw | 03-32-00004 | N | Set Screw | PTO spline adapter with Set Screws | 125 | 1-3/8" x 6 | 1-3/8" x 21 | 4-13/16" | 6-7/8" |
| PA26 QD Pin | 03-32-00092 | Y | QD Pin | PTO spline adapter with quick-release | 75 | 1-3/8" x 6 | 1-3/8" x 21 | 4-3/8" | 6-1/2" |
| | PTE-15904 | Y | Clamp 1-Bolt | Splined Adapter; Clamp provides secure fastener | 100 | 1-3/8" x 6 | 1-3/8" x 21 | 4-3/4" | 6-1/2" |
| | PTE-03742 | N | Clamp 1-Bolt | Splined Adapter; Clamp provides secure fastener | 75 | 1-3/8" x 6 | 1-3/8" x 21 | 4-3/4" | 6-1/2" |
| PA07 Set Screw | 03-32-00373 | N | Set Screw | PTO Adapter - small 1000 to 540 | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 3-3/4" | 5-7/8" |
| PA08 QD Pin | 03-32-01375 | Y | QD Pin | PTO spline adapter with quick-release | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 4-3/8" | 6-1/2" |
| PA08 Alternate QD Pin | PTE-16610 | Y | Slide Collar | PTO spline adapter with quick-release | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 3-7/8" | 6-1/2" |
| PA08 Alternate QD Pin | 03-32-00087 | Y | Clamp 1-Bolt | PTO spline adapter with quick-release | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 4-3/8" | 6-1/2" |
| PA24 Set Screw | 03-32-00002 | Y | Set Screw | PTO spline adapter; converts 21 spline 1000 RPM to 6 spline - 540 RPM | 125 | 1-3/8" x 21 | 1-3/8"x 6 | 4-13/16" | 6-7/8" |
| PA27 QD Pin | Use 03-32-01375 | -- | QD Pin | PTO spline adapter with quick-release | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 3-7/8" | 7-1/4" |
| PA27 Alternate QD Pin | 03-32-01375 | Y | QD Pin | PTO spline adapter with quick-release | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 4-3/8" | 6-1/2" |
| PA27 Alternate QD Pin | PTE-16610 | Y | Slide Collar | PTO spline adapter with quick-release | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 3-7/8" | 6-1/2" |
| PA27 Alternate QD Pin | 03-32-00087 | Y | Clamp 1-Bolt | Splined Adapter; Clamp provides secure fastener | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 4-3/8" | 6-1/2" |

| Old A & I Number | HAVBRO NUMBER | STK | STYLE | DESCRIPTION | MAX HP (est) | FEMALE SPLINE (Tractor) | MALE SPLINE (Implement) | EXTENDS PTO (Approx) | OVERALL LENGTH (Approx) |
|--------------------------|------------------------|-----|---------------|---|--------------|-------------------------|-------------------------|----------------------|-------------------------|
| | PTE-01663 | N | Set Screw | PTO spline adapter; converts 21 spline 1000 RPM to 6 spline - 540 RPM | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 3-1/4" | 5-7/8" |
| | PTE-13381 | N | Clamp | Splined Adapter; Clamp provides secure fastener | 75 | 1-3/8" x 21 | 1-3/8"x 6 | 4-5/16" | 6-1/2" |
| | PTE-15866 | N | Clamp | Splined Adapter; Clamp provides secure fastener | 100 | 1-3/8" x 21 | 1-3/8"x 6 | 4-3/4" | 6-1/2" |
| PA10 QD Pin | PTE-03740 | N | QD Pin | PTO extender with quick-release; 21 spline 1000 RPM | 75 | 1-3/8" x 21 | 1-3/8" x 21 | 4-1/8" | 5-7/8" |
| PA10 Alternate QD Pin | PTE-16613 | Y | Slide Collar | PTO extender with quick-release; 21 spline 1000 RPM | 75 | 1-3/8" x 21 | 1-3/8" x 21 | 4-1/8" | 5-7/8" |
| PA10 Alternate QD Pin | 03-32-02121 | N | Rotate Collar | PTO extender with quick-release; 21 spline 1000 RPM | 75 | 1-3/8" x 21 | 1-3/8" x 21 | 4-3/8" | 6-1/2" |
| PA23 Set Screw | Use 03-32-00001 | -- | Set Screw | PTO extender with SET SCREWS; 21 spline 1000 RPM | 125 | 1-3/8" x 21 | 1-3/8" x 21 | unk | 8-1/8" |
| PA23 Alternate Set Screw | 03-32-00001 | N | Set Screw | Extension | 125 | 1-3/8" x 21 | 1-3/8" x 21 | 4-13/16" | 6-7/8" |
| PA33 Clamp | 03-32-00094 | Y | Clamp 2-Bolt | Splined Adapter; 2-Bolt Clamp provides secure fastener | 125 | 1-3/8" x 21 | 1-3/4" x 20 | 5-31/64" | 7-11/16" |
| PA18 Set Screw | 03-32-00070 | Y | Set Screw | Splined Adapter | 75 | 1-3/8" x 21 | 1-3/4" x 20 | 5" | 7" |
| PA15 Set Screw | PTE-16249 | N | Clamp 1-Bolt | Coarse Spline | 100 | 1-3/4 x 6 | 1-3/8"x 6 | 5" | 7-7/8" |
| PA12 Set Screw | Use 03-32-01490 | -- | Clamp 2-Bolt | Splined Adapter (PA12 = Set Screws) | 125 | 1-3/4" x 20 | 1-3/8"x 6 | 5-3/16" | 8-3/16" |
| PA19 Clamp | 03-32-01476 | Y | Clamp 2-Bolt | Splined Adapter; 2-Bolt Clamp provides secure fastener | 75 | 1-3/4" x 20 | 1-3/8"x 6 | 5-3/16" | 8-3/16" |
| PA21 Clamp | 03-32-01490 | Y | Clamp 2-Bolt | Splined Adapter; 2-Bolt Clamp provides secure fastener | 125 | 1-3/4" x 20 | 1-3/8"x 6 | 5-3/16" | 8-3/16" |
| | Use 03-32-01476 | -- | Set Screw | PTO Splined Adapter | 75 | 1-3/4" x 20 | 1-3/8"x 6 | 4-5/8" | 7-1/2" |
| PA14 Set Screw | Use 03-32-01491 | -- | Clamp 2-Bolt | Splined Adapter (PA14 = Set Screws) | 100 | 1-3/4" x 20 | 1-3/8" x 21 | 5-3/16" | 8-3/16" |
| PA20 Clamp | 03-32-01477 | Y | Clamp 2-Bolt | Splined Adapter; 2-Bolt Clamp provides secure fastener | 75 | 1-3/4" x 20 | 1-3/8" x 21 | 5-3/16" | 8-3/16" |
| PA22 Clamp | 03-32-01491 | Y | Clamp 2-Bolt | Splined Adapter; 2-Bolt Clamp provides secure fastener | 125 | 1-3/4" x 20 | 1-3/8" x 21 | 5-3/16" | 8-3/16" |
| PA28 Clamp | 03-32-01491 | Y | Clamp 2-Bolt | Splined Adapter; 2-Bolt Clamp provides secure fastener | 125 | 1-3/4" x 20 | 1-3/8" x 21 | 5-3/16" | 8-3/16" |
| | PTE-16615 | Y | Set Screw | PTO spline adapter; 20 to 21 spline; set screw lock | 75 | 1-3/4" x 20 | 1-3/8" x 21 | 4-5/8" | 7" |
| | | | | | | | | | |
| | | | | | | | | | |

| Old A & I Number | HAVBRO NUMBER | STK | STYLE | DESCRIPTION | MAX HP (est) | FEMALE SPLINE (Tractor) | MALE SPLINE (Implement) | EXTENDS PTO (Approx) | OVERALL LENGTH (Approx) |
|------------------|---------------|-----|---------------|---|--------------|-------------------------|-------------------------|----------------------|-------------------------|
| | | | |  | | | | | |
| 48A27 | PTE-16631 | N | Roll Pin | Over-running clutch ; maximum 1000 RPM operating speed -- ROLL PIN | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 3-13/16" | 6-1/2" |
| 48A27 Alternate | 03-31-00370 | Y | Roll Pin | Over-running clutch ; maximum 1000 RPM operating speed -- ROLL PIN | 75 | 1-1/8" x 6 | 1-3/8"x 6 | 4-5/32" | 6-21/32" |
| 51A110 | PTE-16661 | -- | Slide Collar | Over-running clutch with quick-release; max 1000 RPM | 75 | 1-1/8" x 6 | 1-3/8" x 6 | 4-1/2" | 6-3/4" |
| 48A26 | PTE-16630 | N | Roll Pin | Over-running clutch ; maximum 1000 RPM operating speed -- ROLL PIN | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 3-13/16" | 6-1/2" |
| 48A26 Alternate | 03-31-00660 | Y | Roll Pin | Over-running clutch ; maximum 1000 RPM operating speed -- ROLL PIN | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4-5/32" | 6-21/32" |
| 51A100 | PTE-16660 | N | Slide Collar | Over-running clutch with quick-release; max 1000 RPM | 75 | 1-3/8"x 6 | 1-3/8" x 6 | 4-1/2" | 6-3/4" |
| 51A100 Alternate | 03-31-00010 | Y | Rotate Collar | Over-running clutch with quick-release; max 1000 RPM | 125 | 1-3/8"x 6 | 1-3/8" x 6 | 4-3/16" | 7-5/16" |
| | 03-31-00011 | N | Rotate Collar | Over-running clutch with quick-release; max 1000 RPM | 125 | 1-3/8" x 6 | 1-3/8" x 21 | 4-3/16" | 7-5/16" |
| | | | |  | | | | | |
| | 03-32-00336 | Y | Set Screw | Splined Coupling, F x F | | 3/4" x 6 | | | 2-1/2" |
| | 03-32-00340 | Y | Set Screw | Splined Coupling, F x F | | 31/32" x 10 | | | 2-3/4" |
| | 03-32-00344 | Y | Set Screw | Splined Coupling, F x F | | 1-1/8" x 6 | | | 2-3/4" |
| | 03-32-00345 | Y | Set Screw | Splined Coupling, F x F | | 1-3/8" x 6 | | | 3-3/4" |
| | 03-32-00346 | Y | Set Screw | Splined Coupling, F x F | | 1-3/4" x 6 | | | 3-3/4" |
| | | | | <i>(Ask us about other non-ag Splined Coupling sizes)</i> | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| Old A & I Number | HAVBRO NUMBER | STK | STYLE | DESCRIPTION | MAX HP (est) | FEMALE SPLINE (Tractor) | MALE SPLINE (Implement) | EXTENDS PTO (Approx) | OVERALL LENGTH (Approx) | | |
|------------------|---------------|-----|-----------|---|--------------|-------------------------|-------------------------|----------------------|-------------------------|--|--|
| | | | |  | | | | | | | |
| | 106A1806 | Y | | Splined Shaft -- Splined one end only | 75 | | 1-1/8" x 6 | | 6" | | |
| | 106A2206 | Y | | Splined Shaft -- Splined one end only | 75 | | 1-3/8" x 6 | | 6" | | |
| | 106A2221 | Y | | Splined Shaft -- Splined one end only | 75 | | 1-3/8" x 21 | | 6" | | |
| | 112A1806 | Y | | Splined Shaft -- Splined one end only | 75 | | 1-1/8" x 6 | | 12" | | |
| | 112A2206 | Y | | Splined Shaft -- Splined one end only | 75 | | 1-3/8" x 6 | | 12" | | |
| | 112A2221 | Y | | Splined Shaft -- Splined one end only | 75 | | 1-3/8" x 21 | | 12" | | |
| | 112B1806 | Y | | Splined Shaft -- Splined Each End | 75 | | 1-1/8" x 6 | | 12" | | |
| | 112B2206 | Y | | Splined Shaft -- Splined Each End | 75 | | 1-3/8" x 6 | | 12" | | |
| | 112F2206 | Y | | Splined Shaft -- Splined Full Length | 75 | | 1-3/8" x 6 | | 12" | | |
| | 112F2221 | N | | Splined Shaft -- Splined Full Length | 75 | | 1-3/8" x 21 | | 12" | | |
| | | | | <i>(Ask us about other non-ag Splined Shaft sizes)</i> | | | | | | | |
| | | | |  | 75 | FEMALE ROUND | MALE SPLINE | | | | |
| | 113-1600 | Y | Set Screw | Pump Adapter - F RD x M Spline | 75 | 1" RD | 1-3/8" x 6 | | | | |
| | 113-1800 | Y | Set Screw | Pump Adapter - F x M | 75 | 1-1/8" RD | 1-3/8" x 6 | | | | |
| | 113-2000 | Y | Set Screw | Pump Adapter - F x M (2 KW -- 1/4 & 5/16) | 75 | 1-1/4" RD | 1-3/8" x 6 | | | | |
| | 113-2200 | Y | Set Screw | Pump Adapter - F x M | 75 | 1-3/8" RD | 1-3/8" x 6 | | | | |
| | 113-2400 | Y | Set Screw | Pump Adapter - F x M | 75 | 1-1/2" RD | 1-3/8" x 6 | | | | |
| | 113-2700 | Y | Set Screw | Pump Adapter - F x M | 75 | 1-11/16" | 1-3/8" x 6 | | | | |

| Old A & I Number | HAVBRO NUMBER | STK | STYLE | DESCRIPTION | MAX HP (est) | FEMALE SPLINE (Tractor) | MALE SPLINE (Implement) | EXTENDS PTO (Approx) | OVERALL LENGTH (Approx) |
|------------------|---------------|-----|-----------|---|--------------|-------------------------|-------------------------|----------------------|-------------------------|
| | | | |  | | | | | |
| | | | | | 75 | FEMALE ROUND | FEMALE SPLINE | | |
| | 10180616 | N | Set Screw | Pump COUPLER - F RD x F Spline | 75 | 1" RD | 1-1/8" X 6 | | |
| | 10220614 | N | Set Screw | Pump COUPLER - F x F | 75 | 7/8" RD | 1-3/8" x 6 | | |
| | 10220616 | N | Set Screw | Pump COUPLER - F x F | 75 | 1" RD | 1-3/8" x 6 | | |
| | 10220618 | N | Set Screw | Pump COUPLER - F x F | 75 | 1-1/8" RD | 1-3/8" x 6 | | |
| | 10222116 | N | Set Screw | Pump COUPLER - F x F | 75 | 1" RD | 1-3/8" x 21 | | |
| 6913200022 | 114-1000 | Y | QD Pin | Pump COUPLER - F x F | 75 | 5/8" RD | 1-3/8" x 6 | | |
| | 114-1200 | Y | QD Pin | Pump COUPLER - F x F | 75 | 3/4" RD | 1-3/8" x 6 | | |
| | 114-1400 | Y | QD Pin | Pump COUPLER - F x F (2 KW - 3/16 & 1/4) | 75 | 7/8" RD | 1-3/8" x 6 | | |
| | 114-1500 | Y | QD Pin | Pump COUPLER - F x F | 75 | 15/16" RD | 1-3/8" x 6 | | |
| | 114-1600 | Y | QD Pin | Pump COUPLER - F x F | 75 | 1" RD | 1-3/8" x 6 | | |
| | 115-1000 | Y | QD Pin | Pump COUPLER - F x F | 75 | 5/8" RD | 1-3/8" x 21 | | |
| | 115-1200 | Y | QD Pin | Pump COUPLER - F x F | 75 | 3/4" RD | 1-3/8" x 21 | | |
| | 115-1400 | Y | QD Pin | Pump COUPLER - F x F | 75 | 7/8" RD | 1-3/8" x 21 | | |
| 6913200038 | 115-1500 | Y | QD Pin | Pump COUPLER - F x F | 75 | 15/16" RD | 1-3/8" x 21 | | |
| | 115-1600 | Y | QD Pin | Pump COUPLER - F x F | 75 | 1" RD | 1-3/8" x 21 | | |
| | | | |  | | | | | |
| | PTE-01090 | Y | | OLD STYLE QD Pin Replacement with External Trailing Snap Clip | | | | | |